

IN THE CLAIMS:

A status of all the claims of the present Application is presented below:

1. (Currently amended) An image capture device, comprising:
a housing; and
at least one telescopic hinge operable to couple a lid to said housing, said telescopic hinge comprising a latching member configured to engage said housing to prevent inadvertent decoupling of said at least one telescopic hinge from said housing.
2. (original) The image capture device of claim 1, wherein said at least one telescopic hinge releasably couples said lid to said housing.
3. (Currently amended) The image capture device of claim 1, further comprising at least one slot in said housing, said at least one slot operable to engage with said latching member ~~at least a portion of said at least one telescopic hinge~~ to prevent inadvertent decoupling of said at least one telescopic hinge from said housing.
4. (original) The image capture device of claim 1, wherein said housing comprises at least one recess corresponding to said at least one telescopic hinge.
5. (original) The image capture device of claim 1, wherein said housing comprises at least one recess, each of said at least one telescopic hinge being inserted into a corresponding one of said at least one recess to couple said lid with said housing.
6. (original) The image capture device of claim 1, wherein said at least one telescopic hinge comprises a plurality of segments.
7. (original) The image capture device of claim 1, wherein said at least one telescopic hinge comprises at least one segment slidably engaged with at least another segment.
8. (original) The image capture device of claim 1, wherein at least one segment of said at least one telescopic hinge is adapted to be disposed in a recess of said housing.
9. (original) The image capture device of claim 8, wherein at least another segment of said at least one telescopic hinge is slidably engaged with said at least one segment.

10. (original) The image capture device of claim 9, wherein a third segment of said at least one telescopic hinge is slidably engaged with said at least another segment.

11. (Canceled)

12. (Currently amended) ~~The image capture device of claim 11,~~ An image capture device, comprising:

a lid;

a housing; and

at least two telescopic hinges, each having a plurality of extensible segments, said at least two telescopic hinges pivotally coupling said lid to said housing, wherein a first segment of said plurality of segments comprises a latching member operable to engage with a slot in said housing.

13. (Currently amended) The image capture device of claim ~~[[11]]~~ 12, wherein ~~[[a]] said first segment of said plurality of segments~~ comprises a ledge near an end of said first segment.

14. (original) The image capture device of claim 13, wherein said ledge surrounds an opening at said end.

15. (original) The image capture device of claim 13, wherein a second segment of said plurality of segments comprises a latching member operable to engage with said ledge.

16. (Currently amended) The image capture device of claim 15, wherein said latching member of said second segment surrounds an end of said second segment.

17. (Currently amended) The image capture device of claim ~~[[11]]~~ 12, wherein said at least two telescopic hinges releasably couple said lid to said housing.

18. (Currently amended) The image capture device of claim ~~[[11]]~~ 12, wherein a second segment of said plurality of segments comprises a channel operable to accept a pin to pivotally couple said lid to said hinge.

19. (New) An image capture device, comprising:

a housing; and

at least one telescopic hinge operable to couple a lid to said housing, said at least one telescopic hinge comprising a plurality of segments slidably coupled to each other, said at least one telescopic hinge configured to prevent inadvertent decoupling of said plurality of segments relative to each other.

20. (New) The image capture device of claim 19, wherein at least one of said plurality of segments comprises a latching member to prevent inadvertent decoupling of said plurality of segments relative to each other.

21. (New) The image capture device of claim 19, wherein at least one of said plurality of segments comprises a ledge to prevent inadvertent decoupling of said plurality of segments relative to each other.

22. (New) The image capture device of claim 19, wherein said at least one telescopic hinge is configured to prevent inadvertent decoupling of said at least one telescopic hinge from said housing.

23. (New) The image capture device of claim 19, wherein at least one of said plurality of segments comprises a latching member configured to engage said housing to prevent inadvertent decoupling of said at least one telescopic hinge from said housing.

24. (New) An image capture device, comprising:

a housing; and

at least one telescopic hinge operable to couple a lid to said housing, said at least one telescopic hinge comprising a first segment coupled to said housing and a second segment slidably coupled to said first segment, at least one of said first and second segments configured to prevent inadvertent decoupling of said first and second segments relative to each other.

25. (New) The image capture device of claim 24, wherein said first segment is configured to prevent inadvertent decoupling of said first segment from said housing.

26. (New) The image capture device of claim 24, wherein said first segment is releasably coupled to said housing via a latching element.

27. (New) The image capture device of claim 24, wherein at least one of said first and second segments comprises a latching element to prevent inadvertent decoupling of said first and second segments relative to each other.

28. (New) The image capture device of claim 24, wherein at least one of said first and second segments comprises a ledge to prevent inadvertent decoupling of said first and second segments relative to each other.

29. (New) The image capture device of claim 24, wherein at least one of said first and second segments comprises a latching element configured to engage a ledge on another of said first and second segments.